

iQ300, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-easyclean KG36VVIEA



Bottom freezer with hyperFresh Box to keep fruit and vegetables fresh longer, plus lowFrost technology for less defrosting.

- ✓ Fruit and vegetables stay fresh for longer in the hyperFresh drawer thanks to the humidity slider
- ✓ Less frost formation and faster defrosting with lowFrost.
- ✓ The LED lights up the interior brightly and evenly.
- ✓ The bigBox offers plenty of space to store and stack large frozen items efficiently.
- ✓ bottleRack: Store bottles safely

Features

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369): E
 Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 233
 Sum of volume of frozen compartments (EU 2017/1369): 94
 Sum of volume of chill compartments (EU 2017/1369): 214
 Airborne acoustical noise emissions (EU 2017/1369): 39
 Airborne acoustical noise emission class (EU 2017/1369): C
 Construction type: Free-standing
 Door panel options: Not possible
 Width of the appliance: 600
 Depth of the product: 650
 Net weight (kg): 69.279
 Connection rating (W): 90
 Current (A): 10
 Door hinge: Right reversible
 Voltage (V): 220-240
 Frequency (Hz): 50
 Approval certificates: CE, VDE
 Length of electrical supply cord (cm): 240
 Storage Period in Event of Power Failure (h): 17
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment (Stck): 2
 Shelves for Bottles: Yes
 Frost free system: No
 Installation type: N/A

Included accessories

3 x egg tray

Optional accessories

KS10Z010



iQ300, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-easyclean KG36VVIEA

Features

Functions

- Stainless steel anti-fingerprint doors and Pearl grey (VZF 07127) side panels
- Integrated vertical handle
- Bright interior LED fridge light

Design features

- Electronic control (LED chain)
- superFreeze function with automatic deactivation
- Automatic defrost in fridge section

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Bottle rack
- Door shelves in fridge door: 1 large and 2 small.

Freshness System

- 1 hyperFresh box with integrated humidity control
-

Food freshness system

- lowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, 1 bigBox

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- Connection value 90 W
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Additional features

Design features

Dimension and installation

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 308 l
- Net Fridge Volume : 214 l
- Net Freezer Volume : 94 l
- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 233 kWh/a
- Climate Class: SN-T
- Noise Level : 39 dB
- Temperature rise time : EU19_Temperature rise time_D: 17 H

iQ300, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-easyclean KG36VVIEA

Dimensioned drawings



| Device name | a | b | c | d | e | f | g | s |
|-----------------------------|------|-----|-----|-----|------|------|-----|-----|
| KG36V33 (inner handle) | 1780 | 600 | 600 | 580 | 600 | 1200 | 600 | 600 |
| KG36V33 (outer handle) | 1780 | 600 | 580 | 640 | 1200 | 600 | 600 | 600 |
| KG36V36GSE30 (inner handle) | 1080 | 600 | 600 | 580 | 600 | 1200 | 600 | 600 |
| KG36V36GSE30 (outer handle) | 1080 | 600 | 600 | 580 | 640 | 1200 | 600 | 600 |

Legend:

- a: Height
- b: Width
- c: Depth with door closed, without handle and without flexible spacing piece
- d: Cabinet depth without flexible spacing piece
- e: Depth with door opened to 90°
- f: Depth with door opened, without handle and without flexible spacing piece
- g: Depth with door closed, with handle and without flexible spacing piece
- s: Depth with door closed, without handle and with flexible spacing piece

measurements in mm