

**Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN34NLEAG**



**Included accessories**

3 x egg tray  
1 x ice cube tray with lid

**NoFrost bottomfreezer : no need to defrost your freezer**

- **Perfect Fit:** place your fridge right next to walls and other appliances to save space.
- LED lights bring a completely new lighting concept to fridges
- **Multi Airflow System:** even air distribution for longer freshness.
- FreshSense sensors constantly monitor and control the ambient, fridge and freezer temperature
- **SuperFreezing:** Protects frozen food from defrosting.

**Technical Data**

Energy Efficiency Class: E

Average annual energy consumption in kilowatt hour per year (kWh/a): 244 kWh/annum

Sum of volume of frozen compartments: 107 l

Sum of volume of chill compartments: 193 l

Airborne acoustical noise emissions : 42 dB(A) re 1 pW

Airborne acoustical noise emission class: D

Construction type: Free-standing

Door panel options: Not possible

Width of the appliance: 600 mm

Depth of the product: 660 mm

Net weight: 62.4 kg

Connection rating: 100 W

Fuse protection: 10 A

Door hinge: Right reversible

Voltage: 220-240 V

Frequency: 50 Hz

Approval certificates: CE, VDE

Length of electrical supply cord: 240 cm

Storage Period in Event of Power Failure (h): 12 h

Number of compressors: 1

Number of independent cooling systems: 1

Interior ventilator: No

Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment (Stck): 2

Shelves for Bottles: No

Installation type: N/A



4 242005 183326

## Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN34NLEAG

### NoFrost bottomfreezer : no need to defrost your freezer

#### Design features

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Integrated horizontal handle
- Right hinged door, door reversible
- LED electronic control
- 1 compressor

#### Food freshness system

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables.
- MultiAirflow system - improves circulation of air around the fridge

#### Key features - Fridge section

- Bright interior LED fridge light
- 4 safety glass shelves (2 height adjustable)
- Door shelves in fridge door: 1 large and 2 small.
- Super Cooling: No

#### Key features - Freezer section

- No Frost, never have to defrost ever again
- 3 freezer drawers
- SuperFreezing function with automatic deactivation
- Calendar frozen food
- Freezer malfunction warning signal: optical and acoustical warning system

#### Additional features

- Optical and accoustical
- 3 x egg tray, 1 x ice cube tray

#### Dimension and installation


- Connection value 100 W
- 220 - 240 V
- Height adjustable front feet
- Dimensions: 186 cm H x 60 cm W x 66 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

#### Functions

#### Performance and Consumption

- EU19\_EEK\_D: E
- Total Volume : 300 l
- Net Fridge Volume : 193 l
- Net Freezer Volume : 107 l
- Freezing capacity 24h : 12 kg
- Annual Energy Consumption: 244 kWh/a
- Climate Class: SN-T
- EU19\_Fast freezer facility\_D
- Noise Level : 42 dB , EU19\_Noise emission class\_D: D
- Temperature rise time : EU19\_Temperature rise time\_D: 12 H

## Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN34NLEAG




Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

### Dimension A:

In models with vertical integrated handles, in order to open easily, a minimum distance of 65 mm is needed.

measurements in mm

Appliance name	a	b	c	d	e	f	g
KGN33 (Inner handle)	1760	600	660	590	600	1210	12



measurements in mm